

APPROVED BY DRAFTSMAN	O.G. FIG.	SUBCLASS
	CLASS	

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 1E




FIG. 1F







FIG. 1G











..... C C C G G G A A A G N N N ... +1
SMA I





2200.	2300.	2400.	2500.	2600.	2700.	2800.	2900.	3000.	3100.	3200.	3300.	3400.	3500.	3600.	3700.	3800.	3900.	4000.	4100.	4200.	4300.	4400.	4500.	4600.	4700.	4800.	4900.	5000.	5100.	5200.	5300.	5400.	5500.	5600.	5700.	5800.	5900.	6000.	6100.	6200.	6300.	6400.	6500.	6600.	6700.	6800.	6900.	7000.	7100.	7200.	7300.	7400.	7500.	7600.	7700.	7800.	7900.	8000.	8100.	8200.	8300.	8400.	8500.	8600.	8700.	8800.	8900.	9000.	9100.	9200.	9300.	9400.	9500.	9600.	9700.	9800.	9900.	10000.
2200.	2300.	2400.	2500.	2600.	2700.	2800.	2900.	3000.	3100.	3200.	3300.	3400.	3500.	3600.	3700.	3800.	3900.	4000.	4100.	4200.	4300.	4400.	4500.	4600.	4700.	4800.	4900.	5000.	5100.	5200.	5300.	5400.	5500.	5600.	5700.	5800.	5900.	6000.	6100.	6200.	6300.	6400.	6500.	6600.	6700.	6800.	6900.	7000.	7100.	7200.	7300.	7400.	7500.	7600.	7700.	7800.	7900.	8000.	8100.	8200.	8300.	8400.	8500.	8600.	8700.	8800.	8900.	9000.	9100.	9200.	9300.	9400.	9500.	9600.	9700.	9800.	9900.	10000.

APPROVED	O.G. FIG.	
	CLASS	SUBCLASS
BY	DRAFTSMAN	



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/14



09521269 07100

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		






FIG. 6

7/14

APPROVED	O.G. FIG.	
	CLASS	SUBCLASS
BY		
DRAFTSMAN		



SERUM DILUTION
FIG. 7A



SERUM DILUTION
FIG. 7b

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 9

11/14

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS




FIG. 11A




FIG. 11B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		






FIG. 13

Q.G. FIG.		
APPROVED	BY	DRAFTSMAN
CLASS	SUBCLASS	



SERUM DILUTION

FIG. 14A



SERUM DILUTION

FIG. 14B